

Simultaneous Reconnection Surgery Technique of Routing with Machine Learning-based Acceleration

Peishan Tu, Chak-Wa Pui, Evangeline F. Y. Young

Abstract—In global routing, both timing and routability are critical criteria to measure the performance of a design. However, these two objectives naturally conflict with each other during routing. In this work, we proposed reconnection approaches to fix timing. We first formulated a quadratic program (QP), which adjusts routing topologies of all the nets by only reconnecting critical sinks and takes congestion into consideration to trade off timing and routability objectives. A machine learning-based technique is applied to accelerate our algorithm, which offers a fast and effective way to solve the problem. By exploring more reconnection candidates, we then formulated a QP to reconnect any sink of a net and utilized a multi-label classifier to accelerate the process. Experimental results on ICCAD 2015 benchmarks show that our algorithms can achieve timing improvement with no significant degradation in routability and wirelength. With machine learning-based acceleration (MLA), our results can be obtained in almost negligible runtime.

I. INTRODUCTION

With the development of semiconductor industry, there is an increasing demand on producing high performance and power efficient chips [1]. A variety of technologies at different design levels, such as architectural, circuit and material, have been come up to improve the performance of the design. Due to the delay of the transistors, the interconnect draws attentions over years [2]. For example, in the stage of circuit design, demand on improved routing strategies to meet timing requirements keeps increasing [3].

Since global routing plays an important role in both the placement and routing phases, there are numerous previous works on global routing. NCTUgr [4] began with rectilinear minimum spanning tree (RMST) topologies and utilized the rectilinear steiner minimum tree (RSMT) topologies to guide the following monotonic routing and negotiation-based rip-up and reroute. NTHURoute [5] also decomposed nets to two-pin nets based on routing tree topologies. Next, it utilized a rip-up and reroute approach, based on the congested region identification, to further improve routability. FastRoute [6] first built routing trees for all the nets and then adjusted the routing edges to reduce congestion. It then performed multi-source multi-pin maze routing and 3-bend routing with an adaptive cost function. MaizeRouter [7] initialized tree construction by FLUTE [8], which is an approach to build

RSMT. It then shifted and retracted the edge to optimize congestion. Followed by layer assignment, the maze routing was performed. BoxRouter [9] decomposed nets based on the minimum steiner tree construction and it proposed an Integer Linear Programming (ILP) routing and an adaptive maze routing to iteratively reduce congestion. Overall, these global routers achieved good performance in terms of wirelength and routing congestion. However, timing is not considered in these routers.

Besides congestion driven routers mentioned above, some works optimized timing and congestion together. The work [10] proposed a global routing approach to incorporate both congestion and timing optimization. It assigned a routing tree topology to each net and adjusted *soft edge*, a non-horizontal and non-vertical edge, to meet the timing constraint. It also slid steiner points to achieve better timing. However, it took tens of seconds to handle at most 400 nets, which may not be fast enough for current designs. In addition, it targeted at small number of module nets instead of large number of standard cell nets. The unified timing and congestion optimizing (UTACO) [11] algorithm adopted a shadow price mechanism which considered timing and congestion as the sum of the price. It first built the minimum wire length steiner tree and performed rip-up and reroute by optimizing the price of congestion and timing. However, it modeled the delay of each net individually which may neglect interaction among adjacent nets because actual gate delay is affected by values from upstream and downstream nets. The work [12] targeted at optimizing Chemical-Mechanical Polishing(CMP) and timing in global routing besides congestion. It modeled timing by a guide of wire density. However, the gate model it considered is the lumped resistance model. The work [13] proposed a routing algorithm that considered timing optimization, buffer insertion and power reduction. It first constructed minimum steiner trees and additional detoured trees and buffered trees are then built to reduce congestion and timing. Next, it formulated an ILP to decrease power consumption. However, the buffer tree construction was time consuming and only wire delay was optimized without gate delay considered.

In most global routers, a tree topology will be assigned to each net, better timing can be achieved by considering timing in construction of the routing tree topologies. Several algorithms [14] [15] are proposed to build timing aware routing trees to achieve good performance on balancing net and gate delay. However, most of them adopt simple lumped resistance model as their gate delay model, which is inaccurate and inadequate for modern designs. Moreover, modern gate delay

The preliminary version has been presented at the 28th edition of the ACM Great Lakes Symposium on VLSI (GLSVLSI) in 2018. The work was partially supported by a grant from the Research Grants Council of the Hong Kong Special Administrative Region, China (Project No. CUHK 14206015).

P. Tu, C. Pui and E. F. Y. Young are with the Department of Computer Science and Engineering, The Chinese University of Hong Kong, NT, Hong Kong.

model requires that tree topologies should not be optimized individually. Hence, in timing aware global routers, methods are needed to capture delay more accurately and to consider the topologies of all the nets simultaneously.

As addressed in [16], machine learning (ML) based approaches have been successfully applied in physical design to improve design performance and reduce design cost of new products in advanced nodes. In general, ML application in physical design aims at modeling new correlation mechanisms and making the design flow more predictable. However, the complicated design characteristics and design flow make it difficult for designers to achieve their goals. Designers take efforts to figure out useful information from the design, which requires experience and knowledge on physical design [17]. There are some works [18] [19] using ML techniques to improve their performance by extracting useful information from the circuit. They could quickly produce similar quality solution, which would otherwise take a long time to be generated. The advantage of ML is fast prediction even though the off-line training process may take a long time. In our work, the fast prediction of ML will be utilized to accelerate the traditional optimization process and useful information will be extracted by analysing the design characteristics.

In this work, we propose algorithms to adjust the routing topologies of all the nets to fit timing from a global perspective and consider routing congestion simultaneously. Our contributions are summarized as follows:

- To optimize the tree topologies globally, a QP is formulated to determine how to adjust the most critical sink connection to optimize timing and congestion.
- We study various circuit properties and identified those that contribute to timing. Later, these features will be used to accelerate the QP-based tree surgery technique by a machine learning-based technique.
- In order to obtain better solution quality, multiple sinks of each net are considered as our reconnection candidates. Compared with the most critical sink connection, it can achieve better performance on timing.
- A multi-label classifier is proposed to accelerate our multiple sink QP solver in order to produce solution efficiently.
- Experimental results show that we can improve timing of the design significantly with small increase in routing congestion.

The remaining of this paper is organized as follows. Section II introduces basic knowledge in timing analysis. Section III defines Critical Sink Reconnection Surgery Problem (CSRSP) and Multiple Sink Reconnection Surgery Problem (MSRSP). Section IV contains details of our algorithms on solving CSRSP, including quadratic programming based Tree Surgery Technique (QPTST) and machine learning-based acceleration technique (MLA). Section V explains how we build a QP solver to solve MSRSP and utilize a multi-label classifier to improve the optimization quality. Section VI shows the experimental results and we finally conclude the work in Section VII.




Fig. 1: Delay in the circuit.

TABLE I: Variable notations in Section II.

$d_{A \rightarrow B}$	interconnect delay between node A and node B
$gd_{A \rightarrow B}$	gate delay from input A to output B
cap_i	total capacitance of net i (including sinks capacitance)
$slew_A$	slew of node A
C_k	lumped capacitance at node k

TABLE II: Gate Delay Lookup Table.

	slew	x_1	x_2	x_3
capacitance				
y_1		z_{11}	z_{12}	z_{13}
y_2		z_{21}	z_{22}	z_{23}
y_3		z_{31}	z_{32}	z_{33}

II. PRELIMINARY

A simple circuit structure is shown in Figure 1(a). It consists of circuit elements, IO pins and interconnections. The circuit elements can be combinational logic elements or sequential elements. When signals travel from the primary inputs to the primary outputs of the circuit, the circuit elements and their interconnections will have delays which affect the performance of the circuit. In the following parts, some background is presented. The notations used are shown in Table I.

A. Circuit Element Delay

A circuit element shown in Figure 1(b) is extracted from Figure 1(a) which is marked red. It consists of input A , input B and output Y , which is the source gate of net k . Based on a nonlinear gate delay model (NLDM), gate delay $gd_{A \rightarrow Y}$ is estimated based on a 2-dimensional table shown in Table II with inputs slew $slew_A$ and capacitance cap_k . Generally, given specific index values x and y , gate delay can be estimated by Equation (1). Assuming $x_1 < x < x_2$ and $y_1 < y < y_2$, solutions of the bilinear interpolation can be computed as in Equation (1) and the coefficients can be obtained by Equation (2) using z_{11} , z_{12} , z_{21} and z_{22} . Details of the calculation are shown in [20].

$$L(x, y) = a_0 + a_1 \cdot x + a_2 \cdot y + a_3 \cdot x \cdot y \quad (1)$$

$$\begin{bmatrix} 1 & x_1 & y_1 & x_1 y_1 \\ 1 & x_1 & y_2 & x_1 y_2 \\ 1 & x_2 & y_1 & x_2 y_1 \\ 1 & x_2 & y_2 & x_2 y_2 \end{bmatrix} \begin{bmatrix} a_0 \\ a_1 \\ a_2 \\ a_3 \end{bmatrix} = \begin{bmatrix} z_{11} \\ z_{12} \\ z_{21} \\ z_{22} \end{bmatrix}. \quad (2)$$

B. Interconnect Delay

For interconnect delay, an example is shown in Figure 1(c). Net i consists of source S and sinks T_1 and T_2 . Delay $d_{S \rightarrow T_1}$ can be obtained by an RC model as shown in Figure 1(d). π model is used to represent a wire. Interconnect delay $d_{S \rightarrow T_1}$ is computed by Equation (3),

$$d_{S \rightarrow T_1} = \sum_{k \in N} R_{k \rightarrow T_1} \cdot C_k, \quad (3)$$

where N is the set of sinks in net i , $R_{k \rightarrow T_1}$ is the total resistance of the common path between the path from S to k and the path from S to T_1 , and C_k is the lumped capacitance at node k .

C. Slew Calculation

We make use of the slew calculation as proposed by [20]. As shown in Figure 1, the slew is transitioned from S to T_1 and T_2 . The output slew $slew_{T_1}$ at T_1 is calculated by Equation (4) and it shows that the output slew at a sink is related to the slew at the source $slew_S$ and the impulse response on T_1 imp_{T_1} .

$$slew_{T_1} \approx \sqrt{slew_S^2 + imp_{T_1}^2}, \quad (4)$$

$$imp_{T_1} \approx \sqrt{2 \cdot \beta_{T_1} - d_{S \rightarrow T_1}^2}, \quad (5)$$

$$\beta_{T_1} = \sum_{k \in N} R_{k \rightarrow T_1} \cdot C_k \cdot d_{S \rightarrow k}. \quad (6)$$

As shown in Figure 1, slew propagated across a gate is calculated as follows: slew $slew_Y$ is obtained by assuming the worst-slew propagation $\max\{slew'_A, slew'_B\}$, where $slew'_A$ is obtained from the lookup table using $slew_A$ and cap_i . It is similar to the calculation of the circuit element delay. $slew'_B$ is calculated in the same way.

D. Timing Analysis

Generally, timing analysis is propagated from the primary input to the output to obtain the actual arrival time (aat) and from the output to the input to obtain the required arrival time (rat). We quantify the timing of a circuit at each node by the term slack which is computed by $slack = rat - aat$. Static Timing Analysis (STA) [20] is always performed to check the timing of the design.

E. Global Routing

In global routing, design is divided into an $N \times N$ routing grid. Each edge e of the routing grid has capacity $c(e)$, which is related to the number of available tracks of each edge. Demand $d(e)$ of an edge e is calculated by the number of interconnection that occupies the edge e . Overflow is induced by condition that $d(e) > c(e)$. Global routing aims at reducing overflow of the design.

In order to improve timing, our approach may reconnect some interconnections which may increase congestion. Hence, our optimization flow will consider the congestion issue as well.

III. PROBLEM FORMULATIONS

Given the placement of a design, nets are routed and timing information are obtained by STA. Our objective is to maximize the total negative slack (TNS) by adjusting the routing topologies. The technique is called Tree Surgery Technique (TST). The proposed TST is to reconnect pins of nets to reduce TNS. The following two problems are formulated in order to achieve our goal by different TSTs.




Fig. 2: Examples of problem formulation

A. Critical Sink Reconnection Surgery Problem (CSRSP)

In CSRSP, TST tries to reconnect the critical sink shown in Figure 2a to maximize TNS by reducing wire delay and gate delay on the critical path, which is formulated as Equation (7).

$$\begin{aligned} \max \quad & \text{TNS}, \\ \text{s.t.} \quad & x_i \in \{0, 1\} \quad \forall i \in N_c, \end{aligned} \quad (7)$$

where x_i denotes whether the most critical sink of each net $i \in N_c$ is reconnected and N_c is a set of net such that any net $i \in N_c$ with P_i sinks should satisfy the following constraints:

$$j_x^i = \arg \min_{l \in P_i, slack_l < 0} slack_l, \quad (8)$$

$$\text{parent}[j_x^i] \neq s_i, \quad (9)$$

where j_x^i is the sink in net i whose slack is the most negative and the parent of j_x^i is not the source s_i . If the slack of every sink in net i is positive, the routing topology of net i will remain unchanged. Equation (9) requires that the sink j_x^i with the worst negative slack is not connected to the root. It may then be possible to connect it to the root to improve the timing.

The explicit formulation of our objective is explained in Section IV.

B. Multiple Sinks Reconnection Surgery Problem (MSRSP)

In MSRSP, TST tends to reconnect one pin among all sinks in each critical net so that TNS can be maximized shown in Figure 2b. Its formulation is shown as Equation (10).

$$\begin{aligned} \max \quad & \text{TNS}, \\ \text{s.t.} \quad & \sum_{k=0}^{n_i} x_{ik} \leq 1 \quad \forall i \in N_c, \\ & x_{ik} \in \{0, 1\} \quad \forall k \in n_i, i \in N_c \end{aligned} \quad (10)$$

where N_c is a set of nets as defined in Section III-A, n_i denotes number of sinks of net i and x_{ik} denotes sink k of net i is reconnected or not.

The explicit formulation of our objective is explained in Section V.

IV. TREE SURGERY TECHNIQUE (TST) ON CSRSP

TST is an approach to modify the tree structure, such as reconnection. TST is first formulated as a QP to maximize the total negative slack while congestion is also considered in the formulation. We then extract circuit properties which can influence timing and a machine learning based acceleration method is further proposed to speed up the QP-based TST. The notations of variables in this section are listed in Table III.

A. QP-based TST (QPTST)

1) *Timing Optimization*: In order to achieve timing closure, STA is used to detect the timing problem of a design. It measures slack ($slack_{po} = rat_{po} - at_{po}$) at each timing end point $po \in PO$, where PO is a set of primary outputs and register data ports. In STA, timing failure can be detected if the slack of a timing end point is negative ($slack_{po} < 0$). In order to reduce timing failure, our objective is to maximize TNS at critical timing endpoints, which is formulated in Equation (11). PO_n denotes the set of timing end points with negative slack.

$$\max \sum_{po \in PO_n} rat_{po} - at_{po}. \quad (11)$$

The negative slacks of PO_n is mainly related to the nets with negative slack sinks, which are called critical nets N_c . Hence, in this work, we will improve the slack of critical nets instead of directly optimizing the slack on the primary outputs, which is shown in Equation (12).

$$\max \sum_{i \in N_c} \sum_{l \in P_i^c} rat_l - aat_l, \quad (12)$$

where P_i^c is the set of critical sinks of net i . Since simultaneously optimizing all the critical sinks of a net is hard to achieve and may cause congestion, we further simplify the problem such that only the most critical sink of each critical net will be considered and formulate it as Equation (13).

$$\max \sum_{i \in N_c} rat_{j_x^i} - aat_{j_x^i}. \quad (13)$$

Since the slack value on one critical timing path is the same, for each net, optimizing the slack of the source is

equivalent to optimize the slack of the most critical sink. Hence, Equation (13) can be transformed into Equation (14).

$$\begin{aligned} \max \quad & \sum_{i \in N_c} rat_{s_i} - aat_{s_i} \\ = \max \quad & \sum_{i \in N_c} rat_{j_x^i} - d_{s_i \rightarrow j_x^i} - aat_l - gd_{l \rightarrow s_i}, \end{aligned} \quad (14)$$

where $d_{s_i \rightarrow j_x^i}$ is the net delay from s_i to j_x^i , $gd_{l \rightarrow s_i}$ is the gate delay and the input pin l of the gate containing node s_i determines the actual arrival time of source s_i . By assuming $rat_{j_x^i}$ and aat_l are constant, we can further simplify the problem as Equation (15).

$$\begin{aligned} \min \quad & \sum_{i \in N_c} d_{s_i \rightarrow j_x^i} + gd_{l \rightarrow s_i} \\ = \min \quad & \sum_{i \in N_c} d_{s_i \rightarrow j_x^i} + L(cap_i, slew_l), \end{aligned} \quad (15)$$

where gate delay can be represented as $L(cap_i, slew_l)$.

In this work, we minimize delay $d_{s_i \rightarrow j_x^i}$ in Equation (15) by reconnecting the critical sink j_x^i directly to its source s_i . However, reconnecting all the nets N_c will increase total capacitance cap_i of each net i due to longer wirelength, which will increase the gate delay $L(cap_i, slew_l)$. In order to maximize the delay reduction $d_{s_i \rightarrow j_x^i} + L(cap_i, Slew_l)$, the set of net that will be reconnected is found by Equation (16).

$$\begin{aligned} \max \quad & \sum_{i=1}^n (\beta \cdot \Delta L_i + \Delta d_{s_i \rightarrow j_x^i} \cdot x_i), \\ \text{s.t.} \quad & x_i = \{0, 1\} \quad \forall i \in N_c, \end{aligned} \quad (16)$$

where x_i is a binary variable indicating whether net i is reconstructed. β is a user defined parameter. $\Delta d_{s_i \rightarrow j_x^i}$ is the difference of interconnect delay on the path from the critical sink j_x^i to its source s_i before and after reconnecting it to the root, which is computed by Equation (17).

$$\Delta d_{s_i \rightarrow j_x^i} = d_{s_i \rightarrow j_x^i}^o - d_{s_i \rightarrow j_x^i}. \quad (17)$$

ΔL_i implies how much gate delay at node s_i can be reduced, which is computed by Equation (18).

$$\begin{aligned} \Delta L_i = & L(cap_i^o, slew_l^o) - L(cap_i, slew_l) \\ = & a_1 \cdot (cap_i^o - cap_i) + a_2 \cdot (slew_l^o - slew_l), \\ & + a_3 \cdot (cap_i^o \cdot slew_l^o - cap_i \cdot slew_l) \end{aligned} \quad (18)$$

where $L(cap_i^o, slew_l^o)$ and $L(cap_i, slew_l)$ are the gate delay before and after reconnection respectively. The value of ΔL_i is determined by reconnection of net i and net j , where net j influences the input slew at node l . It is easy to see that ΔL_i can be rewritten in the form of summation of terms with x_i and x_j as in Equation (19), where a_0, a_1, a_2 and a_3 can be obtained as shown in Section II-A.

$$\begin{aligned} \Delta L_i = & (a_1 + a_3 \cdot slew_l^o) \cdot \Delta cap_i \cdot x_i \\ & + (a_2 + a_3 \cdot cap_i^o) \cdot \Delta slew_l \cdot x_j \\ & - a_3 \cdot \Delta cap_i \cdot \Delta slew_l \cdot x_i \cdot x_j \end{aligned} \quad (19)$$

With Equation (16) and Equation (19), we can formulate a QP to determine which net to be reconnected such that the total negative slacks is optimized.

TABLE III: Variable notations in Section IV-A.

s_i	the source of net i
j_x^i	the sink of net i whose slack is negative and the worst
l	the input pin of the gate of s_i which affects actual arrival time of s_i
j	the net of input pin l
$L(cap_i, slew_l)$	gate delay $gd_{l \rightarrow S}$ from input l to source node S of net i
$d_{s_i \rightarrow j_x^i}^o$	delay from s_i to j_x^i before reconnection on net i
$d_{s_i \rightarrow j_x^i}$	delay from s_i to j_x^i after reconnection on net i
$\Delta d_{s_i \rightarrow j_x^i}$	delay difference before and after reconnection on net i , $d_{s_i \rightarrow j_x^i}^o - d_{s_i \rightarrow j_x^i}$
cap_i^o	lumped capacitance of node i before deciding whether performing reconnection on net i
cap_i	lumped capacitance of node i after deciding whether performing reconnection on net i , $cap_i^o - \Delta cap_i x_i$
Δcap_i	capacitance changed when reconnection is performed on net i
$slew_l^o$	slew of pin l before deciding whether performing reconnection on net j
$slew_l$	slew of pin l after deciding whether performing reconnection on net j , $slew_l^o - \Delta slew_l x_j$
$\Delta slew_l$	slew changed when reconnection is performed on net j
ΔL_i	gate delay difference of source s in net i considering reconnection of net i and net j

2) *Congestion Optimization:* When we improve the timing by reconnecting sinks to their sources, routing congestion may be increased. Hence, routability needs to be considered when we optimize timing by reconnection. The general idea is to avoid reconnecting the critical sink which may go through congested routing regions.

More specifically, a penalty factor of each critical sink is obtained and such penalty will be added to the objective function in order to consider routability. The penalty factor of each critical sink is calculated from the overflow values of its source, which can be obtained after global routing. To honor our original tree topologies, both the steiner points and pins of each tree are treated as pins in the global router. How we calculate the overflow penalty po_i of critical sink i is illustrated by an example given in Figure 3, where a, b, c are the possible locations of the critical sink and s is the source. For each critical sink i , po_i can be obtained from the overflow values of its source, which are o_{e_u} , o_{e_r} , o_{e_d} and o_{e_l} in this example. There are two kinds of situations as follows:

- 1) The routing grid of the critical sink is either horizontal or vertical to the one of its source, such as critical sinks a, c .
- 2) Otherwise, such as critical sinks b .

For the first situation, po_i is equal to the overflow of the edge cut through by the connection between the sink and source. For the other situation, po_i is equal to the maximum overflow of the edges cut through by the bounding box of the sink and source. In Figure 3, the overflow penalties of a, b and c are o_{e_u} , $\max(o_{e_u}, o_{e_r})$ and o_{e_r} respectively.

By adding overflow penalty po_i into the objective function




Fig. 3: An example of how to calculate potential routing overflow.

as shown in Equation (20), we can optimize timing and congestion simultaneously.

$$\max \sum_{i=1}^n (\beta \cdot \Delta L_i + (\Delta d_{s \rightarrow j_x^i} + \alpha \cdot po_i) \cdot x_i) \quad (20)$$

s.t. $x_i = \{0, 1\} \quad \forall i \in N_c$

B. Machine Learning-based Acceleration (MLA)

In this section, we first study how the circuit properties will affect the reconnection decisions. For example, the critical sink may have a large detour to the source in the original tree topology and the slew of the critical sink will be improved a lot after reconnection. We will select some of these properties as features and use a classification approach to speed up QPTST. In the following parts, we assume each net i has n sinks and a source s_i and sink j_x^i is the most critical one.

The circuit properties we study can be categorized into three types: (1) slew and delay related features as shown in Table IV, (2) distance and length related features as shown in Table V, and (3) physics related features as shown in Table VI.




Fig. 4: Feature Importances.

TABLE IV: Delay And Slew Related Features.

<i>DiffTopSlew (DiffTopDelay)</i>	The difference of sink j_x^i slew (delay) and the largest slew (delay) of net i except slew (delay) of sink j_x^i .
<i>IsWorstSlew (IsWorstDelay)</i>	Whether slew (delay) of sink j_x^i is worst in net i .
<i>WorstSlew (WorstDelay)</i>	Value of the worst slew (delay) of net i .
<i>TargetSinkSlew (TargetSinkDelay)</i>	The slew (delay) of sink j_x^i .
<i>TargetDeltaSlew (TargetDeltaDelay)</i>	The difference slew (delay) of sink j_x^i before and after connecting to root.
<i>CommonPathDelay</i>	The delay accumulated on branches which connects s to j_x^i path.

TABLE V: Distance And Length Related Features.

<i>SourceSinkPathDist</i>	The path length from source to the sink j_x^i on the routing tree.
<i>SourceSinkDist</i>	The Manhattan distance between the position of source s and sink j .

TABLE VI: Physics Related Features.

<i>TotalNetCap</i>	The total capacitance of net i .
<i>TotalNetRes</i>	The total net resistance.
a_0, a_1, a_2 and a_3	The coefficients of lookup table function of source s .

Since the ranges of the values of the extracted features f vary a lot, Equation (21) is used for normalization.

$$f' = \frac{f - \min(f)}{\max(f) - \min(f)}, \quad (21)$$

where $\max(f)$ and $\min(f)$ are obtained in the training set.

Large number of features may cause inefficiency and overfitting. Hence, we need to reduce the number of features and features are selected according to their importance. The importances of features are obtained by a machine learning model. As shown in Figure 4, features are ranked according to their importance produced by Random Forest (RF) [21].

After feature selection and preprocessing, we formulate our MLA problem as a classification problem. To be specific, a classifier is applied to each critical net to decide whether it should be reconnected and the results of QPTST are used as the golden results. We use the RF as our classification model and the top 15 important circuit properties shown in Figure 4 are selected as final features. If congestion is also considered, factor po_i of each net i is added to our features during classification.

V. MULTIPLE SINKS OPTIMIZATION ON MSRSP

In Section IV, only the most critical sink in each net is considered to be reconnected. However, only critical sink

reconnection may restrict the improvement of solution quality.




Fig. 5: An Example of Reconnection

As shown in Figure 5, a routed net extracted from a design with arrival time information is shown in the Figure 5a. AT denotes arrival time. Pin b is a critical sink and net delay on the path from source to critical sink b is $34.553 - 30.545 = 4.008$. Our target is to improve its timing. If only the critical sink is considered to be reconnected, arrival time could be improved as shown in Figure 5b. Due to wirelength increased by reconnection, total capacitance of that net is also increased. Therefore, gate delay at source is increased and the arrival time at source is also increased. Net delay on the path from source to critical sink is reduced to 3.95 by removing subtree of the path. Overall, arrival time of critical sink is increased and such reconnection may not be adopted. However, shown in Figure 5c, non-critical sink is reconnected. With 0.329 gate delay increased, net delay of the path from source to critical sink b is only 2.381. The timing of critical sink b is improved while even timing of non critical sink a is also improved. Observed from Figure 5, more possibilities considered during reconnection optimization may lead to better performance.

In order to obtain better timing and keep routing topology less change, a more flexible optimization is to take all pins of a net as reconnected candidates and select at most one pin of each net to be reconnected, as formulated in Section III-B.

The MSRSP problem is quite different from the other. Approaches in section IV cannot be applied directly to solve the problem. The proposed algorithm in Section IV can be extended to solve the MSRSP problem, as shown in Figure 6. A QP is formulated to solve the problem described in Section III-B. Then, A multi-label classification based algorithm is proposed to accelerate the QP optimization approach.

A. Multiple Sinks Optimization QP

According to the deduction in Section IV-A, $\max \sum_{i \in N_c} \Delta d_{s_i \rightarrow j_x^i} + \Delta L(\text{cap}_i, \text{slew}_i)$ formulated in




Fig. 6: The flow of Section V

Equation (15) is our objective and the purpose is to maximize the delay reduction on the critical paths before and after reconnection in the design. In section IV-A, net delay reduction $\Delta d_{s_i \rightarrow j_x^i}$ in Equation (15) is minimized by reconnecting the critical sink j_x^i directly to its source s_i . When more sinks are considered to be reconnected, delay reduction $\Delta d_{s_i \rightarrow j_x^i}$ and gate delay reduction ΔL will be expressed by considering these sinks reconnection. The explicit formulation is shown in Equation (22).

$$\begin{aligned} \max \sum_{i=1}^n (\beta \cdot \Delta L_i + \sum_{k=0}^{n_i} \Delta d_{s_i \rightarrow j_x^i}^k x_{ik}), \\ \text{s.t. } \sum_{k=0}^{n_i} x_{ik} \leq 1 \quad \forall i \in N_c, \\ x_{ik} = \{0, 1\} \quad \forall k \in n_i, \forall i \in N_c, \end{aligned} \quad (22)$$

Assume there are n_i variables for each net i , representing n_i sinks of net i . Variable $x_{ik} (\forall k \in n_i)$ is introduced to represent whether pin k in net i is reconnected or not. Constraint $\sum_{k=0}^{n_i} x_{ik} \leq 1$ denotes at most one sink in each net could be reconnected. In objective function, $\Delta d_{s_i \rightarrow j_x^i}^k$ denotes the delay change in the path from sink j_x^i to source s when sink k of net i is reconnected.

Accordingly, $\Delta cap_i = \Delta cap_{ik} x_{ik}$ represents capacitance variation of net i .

Derived from Δcap_i and Equation (19), ΔL_i can be written as:

$$\begin{aligned} \Delta L_i = & (a_1 + a_3 slew_i^o) \sum_{k=0}^{n_i} \Delta cap_{ik} \cdot x_{ik} + \\ & (a_2 + a_3 cap_i^o) \Delta slew_i^p \cdot x_p - \\ & a_3 \sum_{k_1=0}^{n_i} \Delta cap_i^{k_1} x_{ik_1} \Delta slew_i^p \cdot x_p \end{aligned} \quad (23)$$

where x_p denotes whether the critical sink of net j is reconnected or not. Compared with formulation in section IV,

$N = \sum_{i=0}^{|N_c|} n_i$ variables are used in optimization instead of $|N_c|$ and the matrix is not that sparse in our formulation. The solving process could take longer time.

Congestion optimization formulated in Equation (24) is similar to that in Section IV-A2. According to different sink of net i , overflow penalty factor po_i^k can be extracted based on overflow of routing grid edge, which reconnecting sink k to source x_{ik} may go across. Then penalty factor po_i^k of each variable x_{ik} is added in the objective function accordingly.

$$\max \sum_{i=1}^n (\beta \cdot \Delta L_i + \Delta d_{s_i \rightarrow j_x^i}^k \cdot x_{ik}) + \sum_{k=0}^{n_i} \alpha \cdot po_i^k \cdot x_{ik} \quad (24)$$

B. Multi-Label Classifier

In this section, how machine learning based approach can be applied to speed up the multiple sink optimization QP process is explained. The binary classification task in Section IV-B is to figure out whether the net will be reconnected to its critical sink. Hence the feature and label data of that problem is extracted based on net information. Different from binary classification task of Section IV-B, our task of problem Section III-B is to obtain the result of whether the pin of each net is reconnected or not. The feature and label extraction should be based on each single pin. Meanwhile, the net information should also be collected to keep the data integrity. The composition of data is shown in Figure 7. Applying similar process as described in Section IV-B, feature information will be extracted from the design before an MIQP solver is invoked and the MIQP results will be assigned as the labels to the data. The whole flow is drawn in orange in Figure 6.

Net-based features	Pin-based features	Net Reconnection Label	Pin Reconnection Label
--------------------	--------------------	------------------------	------------------------

Fig. 7: Composition of Data

TABLE VII: Single Pin Features.

<i>PinDeltaCap</i>	The difference in capacitance of sink j_x^i before and after pin k in net i is connected to root.
<i>PinDeltaDelay</i>	The difference in delay of sink k before and after pin k in net i is connected to root.
<i>PinDeltaNetCap</i>	The difference in net capacitance of sink k before and after pin k in net i is connected to root.
<i>PinDeltaSlew</i>	The difference in slew of sink k before and after pin k in net i is connected to root.

1) *Data Construction:* Due to difference of problems in Section III-A and Section III-B, features of Section III-B should not only reflect net information but also identify pin property of reconnection. Therefore, besides the features proposed in Section IV-B (net-based features in Figure 7), pin property related features (pin-based features in Figure 7), which are shown in Table VII, are also extracted from the design. When sink k of net i is reconnected, the change in delay, capacitance and slew of the most critical sink of net i could be calculated. Net capacitance change also varies when different sink k is reconnected. In another word, our pin based data consists of two parts: net features proposed in Section IV-B and pin features described in Table VII. Pin based data of the same net will have the same net features but various pin features.

If our multiple sinks optimization QP are transferred to binary classification problem directly, net reconnection information will be lost. To extract label of our optimization, one way is to model it as multiclass classification. The different net and pin reconnection information can be combined to 4 classes. The other way to calibrate data is to encode it with two binary labels in order to distinguish its class more accurately. In our work, the second way is adopted and two binary labels are net and pin label. Net label represents whether the net of pin i is reconnected or not. Pin label represents whether the pin i is reconnected or not. Net labels of sinks in the same net are same while their pin labels may vary. Net label together with pin label could guide the model to predict a more accurate result. In summary, pin based sample owns two labels: net and pin reconnected label.




Fig. 8: Feature Importances.

2) *Optimization Procedure:* Data preprocessing described in Section IV-B is performed. The feature importance figure

of our problem is shown in Figure 8. We also only selected top 15 features and used RF as our multi-label classifier.

VI. EXPERIMENTAL RESULTS

In the experiments, the benchmarks of the contest in ICCAD 2015 [22] are used and these benchmarks provide timing information. OpenTimer [23] is used for STA. Our work is implemented in C++ and tested on a 2.1 GHz Intel Linux machine with a 64 GB memory. IBM ILOG CPLEX V12.7.0 [24] is used to solve the QP.

TABLE VIII: ICCAD 2015 Benchmarks Information

Designs	#nodes	#nets	clock periods (ns)
superblue1	1209716	1215710	9
superblue3	1213253	1224979	10
superblue4	795645	802513	6
superblue5	1086888	1100825	9
superblue7	1931639	1933945	5.5
superblue10	1876103	1898119	10
superblue16	981559	999902	5.5
superblue18	768068	771542	7

A. Experiments on CSRSP Problem

1) QPTST Results:

a) *Timing Results:* The results of QPTST is shown in Table IX. Evaluation is performed by Opentimer [23] and our results provide interconnection information to it. FLUTE Baseline shows timing results when all the nets are constructed by FLUTE, which does not optimize timing. Direct Connection is the experiment that the most critical sink of every net is reconnected to its source. It can shorten path length of all the nets but will increase wirelength a lot. QPTST is our result and congestion-aware QPTST is the algorithm described in Section IV-A2. β is set to 2500. QPTST takes 27.6s while congestion-aware QPTST takes 30.71s on average. r_{wns} and r_{tns} denote WNS and TNS improvement over the FLUTE baseline. r_{stwl} and r_d denote tree length improvement over the FLUTE baseline and direct connection. Direct Connection improves timing by 1.10% on worst negative slack (WNS) and 6.81% on total negative slack (TNS). However, it increases 18.74% wirelength as expected. QPTST obtains 2.05% and 10.12% improvement on WNS and TNS. The wirelength is only worse by -0.55%. If we also consider congestion in the objective function, timing is not as good as QPTST but can still get 1.74% and 8.55% improvement on WNS and TNS. The wirelength is improved compared with QPTST. All the results of our algorithms achieve better wirelength and timing compared with the FLUTE baseline and direct connection.

Besides using FLUTE as baseline, we also performed QPTST experiments on timing driven routing tree constructed by the PD method mentioned in [14]. Shown in Table X, our algorithm achieves 1.7% and 7.11% improvement on WNS and TNS with loss of 0.39% wirelength. It shows that our algorithm is efficient on both non-timing aware trees and timing driven routing.

b) *Congestion Results:* Nets are decomposed to two-pin nets by FLUTE first and NCTUgr [25] is performed to measure congestion. As shown in Table XI, r denotes the improvement compared with FLUTE based net decomposition. The overflow of QPTST and congestion aware QPTST increases 1.91% and 1.15% respectively. Wirelength increases 1.29% and 0.79% respectively. In congestion aware TST, α is set to 1000. Our algorithm QPTST can improve timing around 10% but congestion is increased by 1.91%. The outlier is due to rough congestion model. With parameter tuning, a better overflow result can be got but timing is not improved a lot. Hence, we keep results with this parameter to show better timing improvement.





Fig. 9: Performance analysis on timing and routing congestion.


c) *Analysis:* Figure 9 shows the analysis of performance of our algorithms on timing and congestion. The part above 0 of the chart is timing improvement and the other part is plotted as increase of overflow. It is obvious that our algorithms can achieve significantly timing improvement with small increase in congestion.

2) *Machine Learning-based Acceleration Results:* The data preparation and application flow shown in Figure 10a is described as follows: Given the detail placement, we routed the design using different routing tree algorithms, such as FLUTE. Features are extracted from the routed design. Each data sample is based on each net information. We then performed our MIQP solver to get the reconnection result of each net, which is the label information of the data sample. Applying reconnection, we evaluated the design.

The training process is shown in Figure 10b. We originally obtained detail placements from [22] as our dataset. 8 benchmarks listed in Table VIII are utilized in the experiment. Each benchmark has 8 detail placement results, which are 2 detail placement results given by the contest organizers and 6 timing driven detail placement results with long and short constraints generated by top 3 contestants in [22]. There are $\sum_{b=0}^B \sum_{p=0}^P \#net_{bp}$ data samples in total, where B is number of benchmarks and P is number of placement of each benchmark. $\#net_{bp}$ is number of multiple pin nets with negative slacks of benchmark b on placement p . $B = 8$ and $P = 8$. As mentioned in Section IV-B, top 15 features are selected in our experiments. Training set consists of data originally from



(a) Data preparation and application flow



(b) Machine learning flow

Fig. 10: Machine Learning-based Acceleration

4 placement results given by contest organizers (superblue4, superblue16, superblue18 and superblue7). Those data with scaled features are fed into cross validation and our machine learning model is trained by random forest method. The test data is from the rest of the dataset. We evaluated the performance of trained model by machine learning accuracy and timing improvement.

The average evaluation of each benchmark is shown in the Table XII. We can see from the table that runtime is reduced a lot. Moreover, we achieve a relative high accuracy classification rate. The final timing and wirelength improvement are also listed in Table XII. Classification Over Base shows timing results compared with baseline and Classification Over QP shows the comparison with the results of QPTST. The timing and wirelength quality are very compatible compared with our QPTST results. By such runtime reduction, we can use our ML classification approach to replace our MIQP solver to decide reconnection of each net.

B. Experiments on MSRSP Problem

1) Multiple Sinks Optimization QP Results:

a) *Timing Results:* The results of MSRSP problem solved by Section IV is shown in Table XIII. The multiple selection optimization is the algorithm described in Section IV.

TABLE IX: Experimental Results of Tree Surgery Technique.

Benchmarks	FLUTE Baseline**						Direct Connection*			QPTST					Congestion Aware QPTST				
	WNS	r_wns	TNS	r_tns	stWL	r_stwl	r_wns	r_tns	r_stwl	r_wns	r_tns	r_stwl	r_d	CPU(s)	r_wns	r_tns	r_stwl	r_d	CPU(s)
superblue1	-0.50	1.00	-0.46	1.00	0.96	1.00	-0.26%	3.20%	-19.76%	1.76%	7.92%	-0.38%	16.18%	15.60	1.78%	4.81%	-0.37%	16.19%	25.05
superblue3	-1.01	1.00	-1.50	1.00	1.14	1.00	4.82%	5.79%	-18.87%	5.61%	7.16%	-0.11%	15.78%	6.12	5.37%	6.76%	-0.09%	15.80%	15.10
superblue4	-0.62	1.00	-3.47	1.00	0.71	1.00	0.90%	10.81%	-18.51%	1.60%	15.33%	-1.79%	14.10%	48.95	0.47%	15.19%	-1.58%	14.29%	57.36
superblue5	-2.57	1.00	-6.95	1.00	1.08	1.00	0.07%	1.42%	-17.24%	0.32%	4.17%	-0.62%	14.18%	11.93	0.12%	2.29%	-0.27%	14.48%	22.02
superblue7	-1.51	1.00	-1.84	1.00	1.40	1.00	0.00%	3.54%	-23.56%	0.00%	6.46%	-0.13%	18.96%	44.13	0.00%	3.21%	-0.08%	19.00%	20.91
superblue10	-1.65	1.00	-33.10	1.00	2.05	1.00	0.47%	2.47%	-13.92%	0.92%	3.88%	-0.79%	11.52%	69.73	0.00%	2.11%	-0.48%	11.80%	77.03
superblue16	-0.46	1.00	-0.76	1.00	0.93	1.00	3.58%	25.18%	-14.74%	3.94%	31.58%	-0.38%	12.52%	6.42	3.94%	29.57%	-0.36%	12.54%	15.21
superblue18	-0.46	1.00	-1.03	1.00	0.58	1.00	-0.75%	2.10%	-23.30%	2.27%	4.45%	-0.18%	18.75%	17.93	2.27%	4.45%	-0.18%	18.75%	13.01
Average	-1.10	1.00	-6.14	1.00	1.11	1.00	1.10%	6.81%	-18.74%	2.05%	10.12%	-0.55%	15.25%	27.60	1.74%	8.55%	-0.43%	15.35%	30.71

*Direct Connection: directly connect the critical sinks to the source for all nets.

**WNS is in $10^4 ps$. TNS is in $10^6 ps$. stWL is in $10^8 um$.

TABLE X: Comparisons Between PD Based Tree Construction and QPTST.

Benchmarks	PD Baseline						Direct Connection			QPTST				
	WNS	r_wns	TNS	r_tns	stWL	r_stwl	r_wns	r_tns	r_stwl	r_wns	r_tns	r_stwl	r_d	CPU(s)
superblue1	-0.50	1.00	-0.47	1.00	1.01	1.00	-0.86%	1.53%	-14.78%	0.90%	5.46%	-0.24%	12.67%	14.14
superblue3	-1.01	1.00	-1.51	1.00	1.22	1.00	2.02%	2.90%	-14.80%	2.71%	4.15%	-0.07%	12.84%	5.91
superblue4	-0.63	1.00	-3.54	1.00	0.75	1.00	-0.63%	9.66%	-14.50%	-0.02%	13.20%	-1.29%	11.53%	39.80
superblue5	-2.57	1.00	-6.95	1.00	1.11	1.00	-0.18%	0.12%	-13.43%	0.10%	2.91%	-0.45%	11.44%	12.08
superblue7	-1.52	1.00	-1.81	1.00	1.51	1.00	0.00%	1.06%	-18.69%	0.56%	5.24%	-0.09%	15.67%	11.46
superblue10	-1.66	1.00	-33.14	1.00	2.12	1.00	4.65%	2.78%	-10.97%	5.12%	4.12%	-0.60%	9.34%	57.87
superblue16	-0.46	1.00	-0.69	1.00	0.96	1.00	2.41%	11.21%	-12.12%	3.10%	19.44%	-0.28%	10.56%	6.01
superblue18	-0.45	1.00	-1.04	1.00	0.63	1.00	-0.74%	-0.29%	-18.12%	1.10%	2.41%	-0.14%	15.23%	4.43
Average	-1.10	1.00	-6.14	1.00	1.16	1.00	0.83%	3.62%	-14.68%	1.70%	7.11%	-0.39%	12.41%	18.96

TABLE XI: Comparisons Before and After Considering Congestion in QPTST.

Benchmarks	FLUTE Based Net Decomposition				QPTST				Congestion Aware QPTST			
	WL	r	Overflow	r	WL	r	Overflow	r	WL	r	Overflow	r
superblue1	0.78	1.00	3297.61	1.00	0.82	-3.16%	3603.07	-9.26%	0.82	-2.46%	3593.22	-8.96%
superblue3	1.07	1.00	2538.63	1.00	1.07	-0.83%	2538.63	0.00%	1.07	-0.83%	2538.63	0.00%
superblue4	0.77	1.00	749.92	1.00	0.78	-2.24%	778.55	-3.82%	0.77	-0.18%	751.39	-0.20%
superblue5	0.73	1.00	3060.91	1.00	0.73	-1.72%	3060.80	0.00%	0.73	-1.72%	3060.80	0.00%
superblue7	.37	1.00	3972.55	1.00	1.38	-0.93%	3984.21	-0.29%	1.37	-0.81%	3972.87	-0.01%
superblue10	1.71	1.00	7696.32	1.00	1.72	-1.69%	7768.53	-0.94%	1.71	-1.03%	7697.78	-0.02%
superblue16	0.98	1.00	684.93	1.00	0.98	-0.15%	688.89	-0.58%	0.98	0.17%	685.04	-0.02%
superblue18	.63	1.00	74.81	1.00	0.63	0.37%	75.08	-0.36%	0.63	0.55%	74.81	0.00%
Average	1.01	1.00	2759.46	1.00	1.01	-1.29%	2812.22	-1.91%	1.01	-0.79%	2796.82	-1.15%

TABLE XII: Experimental Results of Machine Learning Acceleration (MLA).

Benchmarks	ML Accuracy			ML Over Base			ML Over QP		
	Accuracy	CPU(s)	QP-CPU(s)	r_wns	r_tns	r_wl	r_wns	r_tns	r_wl
superblue1	82.74%	2.98	14.87	1.71%	6.10%	-0.38%	0.42%	1.28%	-0.06%
superblue3	82.38%	1.13	6.16	3.67%	5.32%	-0.10%	0.37%	1.26%	-0.05%
superblue4	99.14%	6.39	49.13	1.55%	13.87%	-1.78%	-0.02%	0.11%	0.00%
superblue5	83.19%	2.97	11.87	0.25%	3.40%	-0.57%	0.05%	0.06%	-0.01%
superblue7	94.91%	1.59	45.63	0.00%	5.49%	-0.13%	0.00%	0.41%	0.00%
superblue10	87.99%	7.73	61.68	0.73%	3.71%	-0.76%	0.07%	0.55%	-0.08%
superblue16	95.53%	1.54	6.31	5.24%	29.54%	-0.32%	0.10%	0.14%	0.00%
superblue18	97.13%	1.21	18.65	0.09%	3.89%	-0.18%	-0.01%	0.01%	0.00%

The meaning of WNS , r_wns , TNS , r_tns , $stWL$ and r_stwl are adopted from Section VI-A1. Overall, our multiple selection optimization improved 10.65% TNS and 2.65% WNS on average. However, it takes 23.67 seconds. Compared with average improvement of reconnecting critical sinks, it improved the quality from 10.12% TNS and 2.05% WNS to 10.65% TNS and 2.65% WNS. With more sinks to be considered, the timing quality can be improved. Since more sinks are reconnected, wirelength increased 0.56% and it is 0.01% worsen than QPTST's.

The multiple selection congestion optimization is the approach that consider timing and congestion together by reconnecting multiple sinks. It improved 8.86% TNS and 2.08% WNS on average and it takes 31.84s. The congestion aware optimization can improve WL but reduce the improvement on TNS and WNS.

b) *Congestion Results:* The congestion analysis of multiple selection optimization and multiple selection congestion optimization are performed as same as described in previous Section VI-A1 congestion paragraph. The overflow of multiple selection optimization and multiple selection congestion optimization increased 1.95% and 1.65% respectively.

c) *Analysis:* Figure 11 shows the analysis of performance of multiple sink optimization on timing and congestion. The bar above 0 of the chart is timing improvement and the bar below 0 is plotted as increase of overflow. From the chart, we can conclude that overflow can be reduced a lot if the congestion is also considered.

2) *Multi-label Classifier Results:* The results of multi-label classifier is listed in Table XV. The training process is similar with the process described in Section VI-A2. The column ML Accuracy shows prediction accuracy and runtime comparison

TABLE XIII: Timing Results for Multiple Sinks Candidates QP

Benchmarks	Baseline						Multiple Selection Optimization				Multiple Selection Congestion Optimization			
	WNS	r_wns	TNS	r_tns	stWL	r_stwl	r_wns	r_tns	r_stwl	CPU(s)	r_wns	r_tns	r_stwl	CPU(s)
superblue1	-0.50	1.00	-0.46	1.00	0.96	1.00	1.57%	7.55%	-0.38%	24.98	1.76%	4.82%	-0.32%	32.46
superblue3	-1.01	1.00	-1.50	1.00	1.14	1.00	5.98%	7.72%	-0.11%	16.48	5.83%	7.47%	-0.09%	25.32
superblue4	-0.62	1.00	-3.47	1.00	0.71	1.00	1.60%	15.48%	-1.85%	29.81	1.60%	15.52%	-1.75%	37.57
superblue5	-2.57	1.00	-6.95	1.00	1.08	1.00	0.34%	4.19%	-0.62%	16.29	0.14%	2.33%	-0.29%	25.98
superblue7	-1.51	1.00	-1.84	1.00	1.40	1.00	0.00%	7.38%	-0.14%	26.97	0.00%	4.10%	-0.09%	34.88
superblue10	-1.65	1.00	-33.10	1.00	2.05	1.00	4.45%	4.88%	-0.80%	48.54	0.05%	2.16%	-0.49%	56.86
superblue16	-0.46	1.00	-0.76	1.00	0.93	1.00	3.97%	33.30%	-0.40%	14.65	3.97%	29.81%	-0.38%	22.26
superblue18	-0.46	1.00	-1.03	1.00	0.58	1.00	3.29%	4.68%	-0.20%	11.66	3.29%	4.68%	-0.20%	19.42
Average	-1.10	1.00	-6.14	1.00	1.11	1.00	2.65%	10.65%	-0.56%	23.67	2.08%	8.86%	-0.45%	31.84

TABLE XIV: Comparisons Before and After Considering Congestion in Multiple Selection Optimization

Benchmarks	FLUTE Based Net Decomposition				Multiple Selection Optimization				Multiple Selection Congestion Optimization			
	WL	r	Overflow	r	WL	r	Overflow	r	WL	r	Overflow	r
superblue1	0.78	1.00	3297.61	1.00	0.82	-3.17%	3603.53	-9.28%	0.82	-3.01%	3598.93	-9.14%
superblue3	1.07	1.00	2538.63	1.00	1.07	-0.94%	2540.85	-0.09%	1.07	-0.93%	2539.45	-0.03%
superblue4	0.77	1.00	749.92	1.00	0.79	-2.41%	780.21	-4.04%	0.78	-2.05%	769.14	-2.56%
superblue5	0.73	1.00	3060.91	1.00	0.73	-1.75%	3062.74	-0.06%	0.73	-1.96%	3062.09	-0.04%
superblue7	1.37	1.00	3972.55	1.00	1.38	-0.95%	3984.37	-0.30%	1.37	-0.90%	3977.98	-0.14%
superblue10	1.71	1.00	7696.32	1.00	1.72	-1.69%	7770.84	-0.97%	1.72	-1.41%	7725.19	-0.38%
superblue16	0.98	1.00	684.93	1.00	0.98	-0.17%	689.17	-0.62%	0.98	-0.17%	688.36	-0.50%
superblue18	0.63	1.00	74.81	1.00	0.63	0.34%	74.98	-0.24%	0.63	0.36%	75.10	-0.39%
Average	1.01	1.00	2759.46	1.00	1.01	-1.34%	2813.34	-1.95%	1.01	-1.26%	2804.53	-1.65%

TABLE XV: Experimental Results of Multi-label Classifier.

Benchmarks	ML Accuracy			ML Timing Over Base			ML Timing Over MQP		
	Accuracy	CPU(s)	MQP-CPU(s)	r_wns	r_tns	r_wl	r_wns	r_tns	r_wl
superblue1	86.74%	5.87	22.53	1.71%	6.68%	-0.36%	0.14%	0.28%	-0.01%
superblue3	85.81%	2.27	15.8	3.61%	5.18%	-0.09%	-0.10%	-0.26%	0.02%
superblue4	98.89%	13.08	25.81	1.55%	14.31%	-1.92%	0.24%	1.10%	-0.29%
superblue5	84.54%	17.56	15.90	0.20%	2.78%	-0.50%	-0.02%	-0.63%	0.12%
superblue7	96.41%	2.74	47.7	0.00%	6.38%	-0.13%	0.00%	0.23%	0.00%
superblue10	90.27%	15.19	51.38	0.64%	3.12%	-0.71%	-3.26%	-1.03%	-0.02%
superblue16	95.92%	3.36	13.33	5.57%	31.18%	-0.33%	0.06%	0.05%	0.00%
superblue18	97.20%	2.17	10.63	0.20%	4.16%	-0.19%	-0.08%	-0.04%	0.01%




Fig. 11: Performance analysis on multiple sink optimization of timing and routing congestion.

among benchmarks. The accuracy differs from benchmarks and the runtime is shortened compared with runtime of MQP. Our multi-label classifier takes more time compared with the previous binary classifier. The columns of ML over Base is the results compared with baseline. The columns of ML over MQP is the results compared with the multiple selection optimization in Table XIII. The quality is comparable with MQP's but runtime is much faster.

C. Comparisons Among Methods

We list four methods results: QP Section IV-A, ML Section IV-B, M-QP Section V-A and M-ML Section V-B. Each design has 8 different placement (only 7 for s7). The value of y-axis in each subfigure of Figure 12 is the percentage ratio compared with baseline. The comparison is among WNS, TNS, WL and runtime.

Figure 12a is the WNS comparisons. M-QP performs better than QP on 7 designs. ML approach has 5 designs no worse than QP and the rest 2 designs results are very similar. M-ML has 5 designs better than QP and 4 designs no worse than M-QP. On average, the improvement of WNS is 1.49%, 1.63%, 2.09% and 1.71% of QP, ML, M-QP and M-ML respectively. M-QP shows the best performance based on WNS.

Figure 12b is the TNS comparisons. The results of M-QP is better than QP's on 7 designs and it is only worse 0.03% on design s4. ML outperformed QP among all designs. M-ML has similar results with M-QP excepts s5 and s10. On average, the improvement of TNS is 8.57%, 9.04%, 9.39% and 9.29% of QP, ML, M-QP and M-ML respectively. M-QP obtains the best performance based on TNS.

Figure 12c is the WL comparisons. On average, the improvement of WL is -0.51%, -0.45%, -0.52% and -0.53% of QP, ML, M-QP and M-ML respectively.

Figure 12d is the Runtime comparisons. ML is better than QP and M-ML is better than M-QP among all designs. On




Fig. 12: Performance analysis on Different Methods.

average, the improvement of runtime is 27.6%, 3.2%, 25.39% and 7.78% of QP, ML, M-QP and M-ML respectively.

Overall, M-QP has best timing quality but runtime is not that good. M-ML has a comparable results but much faster runtime.

VII. CONCLUSION

Timing is a critical issue for the design optimization and it is hard to improve timing without increasing routing congestion. In this work, we formulate the tree surgery problem as a QP, which optimizes gate delay and net delay with adjacent nets considered. In order to enhance routability, congestion is also optimized in our algorithm. To speed up the process, a machine learning-based algorithm is proposed and features related to timing optimization are extracted from the design. By considering reconnecting more sinks, we formulate a QP to select reconnection among all sinks of each critical net and a multi label classifier is proposed to accelerate optimization. In the experimental results, our algorithms can achieve high quality of timing improvement.

REFERENCES

[1] J. Hu, Y. Zhou, Y. Wei, S. Quay, L. Reddy, G. Tellez, and G.-J. Nam, "Interconnect optimization considering multiple critical paths," in

Proceedings of the 2018 International Symposium on Physical Design. ACM, 2018, pp. 132–138.

[2] V. F. Pavlidis, I. Savidis, and E. G. Friedman, *Three-dimensional integrated circuit design*. Newnes, 2017.

[3] A. B. Kahng, "New game, new goal posts: A recent history of timing closure," in *Proceedings of the 52nd Annual Design Automation Conference*. ACM, 2015, p. 4.

[4] W.-H. Liu, W.-C. Kao, Y.-L. Li, and K.-Y. Chao, "Nctu-gr 2.0: multithreaded collision-aware global routing with bounded-length maze routing," *IEEE Transactions on computer-aided design of integrated circuits and systems*, vol. 32, no. 5, pp. 709–722, 2013.

[5] Y.-J. Chang, Y.-T. Lee, J.-R. Gao, P.-C. Wu, and T.-C. Wang, "Nthu-route 2.0: a robust global router for modern designs," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 29, no. 12, pp. 1931–1944, 2010.

[6] M. Pan, Y. Xu, Y. Zhang, and C. Chu, "Fastroute: An efficient and high-quality global router," *VLSI Design*, vol. 2012, p. 14, 2012.

[7] M. D. Moffitt, "Maizerouter: Engineering an effective global router," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 27, no. 11, pp. 2017–2026, 2008.

[8] C. Chu and Y.-C. Wong, "Flute: Fast lookup table based rectilinear steiner minimal tree algorithm for vlsi design," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 27, no. 1, pp. 70–83, 2008.

[9] M. Cho and D. Z. Pan, "Boxrouter: a new global router based on box expansion and progressive ilp," *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 26, no. 12, pp. 2130–2143, 2007.

[10] J. Hu and S. S. Sapatnekar, "A timing-constrained algorithm for simultaneous global routing of multiple nets," in *Proceedings of the 2000 IEEE/ACM international conference on Computer-aided design*. IEEE Press, 2000, pp. 99–103.

- [11] T. Jing, X. Hong, H. Bao, Y. Cai, J. Xu, C. Cheng, and J. Gu, "Utaco: a unified timing and congestion optimizing algorithm for standard cell global routing," in *Proceedings of the 2003 Asia and South Pacific Design Automation Conference*. ACM, 2003, pp. 834–839.
- [12] M. Cho, D. Z. Pan, H. Xiang, and R. Puri, "Wire density driven global routing for cmp variation and timing," in *Proceedings of the 2006 IEEE/ACM international conference on Computer-aided design*. ACM, 2006, pp. 487–492.
- [13] A. Youssef, Z. Yang, M. Anis, S. Areibi, A. Vannelli, and M. Elmasry, "A power-efficient multipin ilp-based routing technique," *IEEE Transactions on Circuits and Systems I: Regular Papers*, vol. 57, no. 1, pp. 225–235, 2010.
- [14] C. J. Alpert, A. B. Kahng, C. Sze, and Q. Wang, "Timing-driven steiner trees are (practically) free," in *Proceedings of the 43rd annual Design Automation Conference*. ACM, 2006, pp. 389–392.
- [15] G. Chen, P. Tu, and E. F. Young, "Salt: Provably good routing topology by a novel steiner shallow-light tree algorithm," in *Proceedings of the 2017 IEEE/ACM international conference on Computer-aided design*. ACM, 2017.
- [16] A. B. Kahng, "Machine learning applications in physical design: Recent results and directions," in *Proceedings of the 2018 International Symposium on Physical Design*. ACM, 2018, pp. 68–73.
- [17] L.-C. Wang, "Machine learning for feature-based analytics," in *Proceedings of the 2018 International Symposium on Physical Design*. ACM, 2018, pp. 74–81.
- [18] W.-C. Chang, I. H.-R. Jiang, Y.-T. Yu, and W.-F. Liu, "iclaire: A fast and general layout pattern classification algorithm," in *Design Automation Conference (DAC), 2017 54th ACM/EDAC/IEEE*. IEEE, 2017, pp. 1–6.
- [19] W.-T. J. Chan, K. Y. Chung, A. B. Kahng, N. D. MacDonald, and S. Nath, "Learning-based prediction of embedded memory timing failures during initial floorplan design," in *Design Automation Conference (ASP-DAC), 2016 21st Asia and South Pacific*. IEEE, 2016, pp. 178–185.
- [20] J. Hu, G. Schaeffer, and V. Garg, "Tau 2015 contest on incremental timing analysis," in *Computer-Aided Design (ICCAD), 2015 IEEE/ACM International Conference on*. IEEE, 2015, pp. 882–889.
- [21] A. Liaw, M. Wiener *et al.*, "Classification and regression by random-forest," *R news*, vol. 2, no. 3, pp. 18–22, 2002.
- [22] M.-C. Kim, J. Hu, J. Li, and N. Viswanathan, "Iccad-2015 cad contest in incremental timing-driven placement and benchmark suite," in *Proceedings of the IEEE/ACM International Conference on Computer-Aided Design*. IEEE Press, 2015, pp. 921–926.
- [23] T.-W. Huang and M. D. Wong, "Opentimer: A high-performance timing analysis tool," in *Proceedings of the IEEE/ACM International Conference on Computer-Aided Design*. IEEE Press, 2015, pp. 895–902.
- [24] IBM. (2017) Cplex. [Online]. Available: <https://www-01.ibm.com/software/commerce/optimization/cplex-optimizer/>
- [25] W.-H. Liu, C.-K. Koh, and Y.-L. Li, "Optimization of placement solutions for routability," in *Design Automation Conference (DAC), 2013 50th ACM/EDAC/IEEE*. IEEE, 2013, pp. 1–9.